

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re the Application of:

CHEN et al.

Serial No.: 09 834,309

Filed: April 11, 2001

Atty. File No.: 2848-43

For: "THREE-DIMENSIONAL STRUCTURE OF COMPLEMENT RECEPTOR TYPE 2 AND USES THEREOF"

Box Missing Parts
Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

In response to the Notice Of Incomplete Reply dated August 17, 2001, Applicants note that the substitute drawings which are designated as being missing from the Reply to Notice to File Missing Parts were in fact submitted to Box Missing Parts of the USPTO on July 26, 2001. A copy of the Submission transmittal sheet and the return postcard, indicating the receipt of the drawings by the USPTO, is enclosed. Applicants' agent, Angela Dallas has also confirmed that the drawings were received and that the application is complete according to USPTO records, by way of a telephone conversation with the Initial Patent Examination Division representative on September 5, 2001. Since the submission of drawings was timely, no fees are believed to be due in connection with this application, but if fees are due, please debit Deposit Account No. 19-1970.

Respectfully submitted,

SHERIDAN ROSS P.C.

By: Angela Dallas
Angela K. Dallas
Registration No. 42,460
1560 Broadway, Suite 1200
Denver, Colorado 80202-5141
(303) 863-9700

Date: Sept. 10, 2001



In Re Application of:

CHEN et al.

Serial No.: 09/834,309

Filed: April 11, 2001

Atty. File No.: 2848-43

For: "THREE-DIMENSIONAL STRUCTURE
OF COMPLEMENT RECEPTOR TYPE 2
AND USES THEREOF"

Box Missing Parts
Assistant Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

Enclosed are 17 sheets of formal drawings illustrating Figs. 1-6 of the application. Figs. 1-6 constitute all of the drawings in the application. Applicants note that Figs. 4A-B are scanned images, and not photographs, and therefore, only one copy of each of the drawings is enclosed herewith. The scanned images of Figs. 4A-B are the best available drawings, since Applicants do not keep original photographs of these figures. Applicants submit that all of the drawings of the application meet with drawing standards as set forth in 37 CFR § 1.84.

Respectfully submitted,

SHERIDAN ROSS P.C.


By:

Angela Dallas
Angela K. Dallas
Registration No. 42,460
1560 Broadway, Suite 1200
Denver, CO 80202-5141
(303) 863-9700

Date: *July 26, 2001*

OCT 01 2001
TECH CENTER 1600-2900

RECEIVED



SEP 24 2001

PATENT
TRADEMARK
OFFICE
JC34RECEIVED
Page 1 of 1

OCT 6 2001

TECH CENTER 1200

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/834,309	04/11/2001	Xiaojiang Chen	2848-43

CONFIRMATION NO. 3032

FORMALITIES LETTER



OC000000006438723

Angela Dallas-Pedretti
SHERIDAN ROSS P.C.
Suite 1200
1560 Broadway
Denver, CO 80202-5141

Date Mailed: 08/17/2001

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on to the Notice mailed and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE